



Republic of the Philippines
PUBLIC ATTORNEY'S OFFICE

Tanggapan ng Manananggol Pambayan
Kagawaran ng Katarungan
DOJ Agencies Building, NIA Road corner East Avenue, 1104 Quezon City

Bids and Awards Committee

SUPPLEMENTAL BID BULLETIN No. 03-2021

Subject: CORRECTION ON THE ADDITIONAL REQUIREMENTS FOR BIDDERS FOR THE PUBLIC BIDDING OF THE CONTRACT OF SUPPLY OF 15,000 REAMS OF MULTICOPY PAPER UNDER P.R. NO. 039-01-2021, FOR PAO-CENTRAL OFFICE

A) Additional Requirement for Bid Submission


From:

In addition to the documentary requirements stated in the bidding documents, participating bidders are required to submit one ream each of Multicopy (legal size) 80 gsm, (8.5"x13") and five thousand (5,000) reams of Paper, Multicopy (A4 size) 80 gsm as sample for evaluation.

To:

In addition to the documentary requirements stated in the bidding documents, participating bidders are required to **submit one ream each for Multicopy (legal size) 80 gsm, (8.5"x13") and for Multicopy (A4 size) 80 gsm as sample for evaluation.**

Quezon City, Metro Manila
01 March 2021


ATTY. RONALD JEROME P. NIEVES
Vice-Chairperson, PBAC
Officer-In-Charge
Legal Research Service